

OZZERO[®]

Giunti / Joints




Giunto Z 01/01

Giunto ad espansione, composto da due elementi in alluminio pressofuso ad alta resistenza. Con un semplice tocco di cacciavite congiunge fra loro, espandendosi, travi e capitelli, ciellini e pannelli.

Joint Z 01/01

Expanding joint, formed of two halves in high-resistance die-cast aluminum. With a simple turn of a screwdriver, expands and locks together beams and capitals, panels and ceilings.



Z01/01
30 gr.

Giunto Pinza Z 01/05 - Z 01/06


Giunto pinza permette la derivazione dalle travi o dal nodo in modo anche non ortogonale.

Realizzato in lega di alluminio brillantato è in due versioni: a 2 pezzi e a 3 pezzi. Quest'ultima versione, dotata di guarnizione antigraffio, è consigliata nell'impiego su strutture già allestite.


Clamp Joint Z 01/05 - Z 01/06

The clamp joint provides the means to build out from the beams or from the junction, at any angle. It is made of polished pressure-cast aluminium alloy and has two versions: in 2 and 3 pieces.

The latter, provided with anti-scratch liner, is recommended for use in completed assemblies or structures.



Z 01/05
Z 01/05E
58 gr.



Z 01/06
Z 01/06E
70 gr.